

RSCBUSB

RS232/RS485 - USB CONVERTER CABLE



RS232/RS485 - USB converter cable, essential for the configuration and the maintenance of Dini Argeo weight indicators. The connection is fast and easy, thanks to the RJ11 quick connector on the scale side.

Working in cooperation with:

WMS SCALES TECHNOLOGY SRL
FAGETU IERII, NR. 54 - 407321 - IARA - ROMANIA
Tel. 40745312637
office@centrul-de-cantare-si-balante.ro

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Length: about 1,5m
- Connectors:
 - RJ11 for the quick connection to the RS232 serial port, standard fitted on the female connector available on all Dini Argeo indicators;
 - DB9 (RSCBUSBKR)
 - USB on the PC side.
- PC minimum requirements:
 - Windows 7 or greater;
 - 2.0 USB port or greater;
 - communication drivers integrated in the Dinitools software.



www.diniargeo.com

“YOUR WORLDWIDE PARTNER FOR WEIGHING”

DINI ARGEO
FRANCE sarl
France

DINI ARGEO
GMBH
Germany

DINI ARGEO
UK Ltd
United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
China

DINI ARGEO
OCEANIA
Australia



COMPANY HEADQUARTERS

Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy
Tel. +39.0536 843418

WMS SCALES TECHNOLOGY SRL

FAGETU IERII, NR. 54 - 407321 - IARA - ROMANIA

Tel. 40745312637

office@centrul-de-cantare-si-balante.ro

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.