

Cod	l x w x h (mm)	Max (kg)	M (g)*	Pret Lista [EUR]*
WET6-1	300x300x130	6	2	289,-
WET15-1	300x300x130	15	5	289,-
WET30-1	300x300x130	30	10	289,-
WEQ30-1	400x400x140	30	10	339,-
WEQ60-1	400x400x140	60	20	339,-
WEX150-1	600x600x150	150	50	439,-

Code	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*	Pret Lista €
RPLC1	Ø=178, h=45	1,5	0,2	0,5	0,2 / 0,5	0,05	260,-
RPLC3	Ø=178, h=45	3	0,5	1	0,5 / 1	0,1	260,-
RPLC6	Ø=178, h=45	6	1	2	2-Jan	0,2	260,-
RPLC15	Ø=178, h=45	15	2	5	5-Feb	0,5	260,-

Code	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*	Pret Lista €*
TLNE60	500x600x150	60	10	20	20-Oct	5	1000,-
TLNE150	500x600x150	150	20	50	20-50	10	1000,-
TLNE300	500x600x150	300	50	100	50-100	20	1000,-
TGNE150	700x700x165	150	20	50	--	10	1500,-
TGNE300	700x700x165	300	50	100	50-100	20	1500,-
TGNE600	700x700x165	600	100	200	100-200	50	1500,-

Code	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*	Pret Lista €*
TS3C6	230x330x93	3	0,5	0,5	--	0,1	310,-
TS6C6	230x330x93	6	1	1	0,5/1	0,2	310,-
TS12C6	230x330x93	12	2	2	2-Jan	0,5	310,-
TT6C6	330x330x93	6	1	1	0,5/1	0,2	350,-
TT12C6	330x330x93	12	2	2	2-Jan	0,5	350,-
TT30C6	330x330x93	30	5	5	5-Feb	1	350,-
TQ30C6	400x400x115	30	5	5	5-Feb	1	410,-

Code	l x w x h (mm)	Max (kg)	d (g)	M (g)*	Pret Lista €*
PBT6	300x300x130	6	2	2	99,-

<b>PBT15</b>	300x300x130	15	5	5	99,-
<b>PBT30</b>	300x300x130	30	10	10	99,-
<b>PBQ30</b>	400x400x140	30	10	10	149,-
<b>PBQ60</b>	400x400x140	60	20	20	149,-
<b>PBQ150</b>	400x400x140	150	50	50	149,-
<b>PBX60</b>	600x600x150	60	20	20	249,-
<b>PBX150</b>	600x600x150	150	50	50	249,-
<b>PBX300</b>	600x600x150	300	100	100	249,-
<b>PBE300</b>	800x800x165	300	100	100	449,-
<b>PBE600</b>	800x800x165	600	200	200	449,-

<b>Cod</b>	<b>Capacitate [kg]</b>	<b>M 2R [kg]</b>	<b>Dimensiune [mm]</b>	<b>Pret Lista [EUR]*</b>
<b>WEFLBK150 0-1</b>	600/1500	0,2/0,5	1250x1250x120	1070,-
<b>WEFLDK300 0-1</b>	1500/3000	0,5/1	1250x1500x120	1120,-
<b>WEFLEK300 0-1</b>	1500/3000	0,5/1	1500x1500x120	1170,-

<b>Cod</b>	<b>Caracteristici</b>	<b>Pret Lista [EUR]*</b>
<a href="#">WKPT630A</a>	Kit Celule Cantar Auto compus din 6 celule analogice cod RCPT30C3, un indicator 3590ET cu software AF03 instalat cu 2 intrari, 4 iesiri port RS485 si o cutie de jonctiune cu 10 intrari cod JB10Q.	2100,-
<a href="#">WKPT830A</a>	Kit Celule Cantar Auto compus din 8 celule analogice cod RCPT30C3, un indicator 3590ET cu software AF03 instalat cu 2 intrari, 4 iesiri port RS485 si o cutie de jonctiune cu 10 intrari cod JB10Q.	2500,-

<b>Cod</b>	<b>Capacitate [Kg]</b>	<b>Pret Lista [EUR]*</b>
<b>STFC2000</b>	2000	240,-
<b>STFC5000</b>	5000	280,-
<b>STFC10000</b>	10000	320,-

<b>Cod</b>	<b>Capacitate [Kg]</b>	<b>Pret Lista [EUR]*</b>
<b>CPX250</b>	250	180,-
<b>CPX500</b>	500	180,-
<b>CPX1000</b>	1000	180,-
<b>CPX2500</b>	2500	180,-
<b>CPX5000</b>	5000	180,-
<b>CPX7500</b>	7500	180,-
<b>CPX10000</b>	10000	180,-
<b>CPX12500</b>	12500	180,-
<b>CPX15000</b>	15000	200,-
<b>CPX30000</b>	30000	300,-
<b>CPX50000</b>	50000	600,-
<b>CPX100000</b>	100000	600,-

<b>Cod</b>	<b>Capacitate [Kg]</b>	<b>Pret Lista [EUR]*</b>
<b>RSBT25C3</b>	25000	200,-
<b>RSBT40C3</b>	40000	240,-

<b>Cod</b>	<b>Capacitate [ kg ]</b>	<b>Pret Lista [ EUR ]*</b>
<b>FXC 10</b>	10	190,-
<b>FXC 20</b>	20	190,-
<b>FXC 50</b>	50	190,-
<b>FXC 100</b>	100	190,-
<b>FXC 200</b>	200	190,-
<b>FXC 300</b>	300	190,-
<b>FXC 500</b>	500	190,-

<b>Cod</b>	<b>Capacitate [Kg]</b>	<b>Pret Lista [EUR]*</b>
<b>SPO 3</b>	3	50,-
<b>SPO5</b>	5	50,-
<b>SPO 10</b>	10	50,-
<b>SPO 15</b>	15	50,-
<b>SPO 20</b>	20	50,-
<b>SPO 30</b>	30	50,-
<b>SPO 40</b>	40	50,-

<b>Code</b>	<b>LxIxh (mm)</b>	<b>Capacitate (kg)</b>	<b>Diviziune (kg)</b>	<b>Pret [EUR]*</b>
-------------	-------------------	------------------------	-----------------------	--------------------

RWSCP20T	3000x730	20000	5	6500,-
RWSCP40T	3000x730	40000	10	6500,-
RWSCP50T	3000x730	50000	20	6500,-

Cod	Lxlxh (m)	Capacitate [kg]	Diviziune [kg]	Pret Lista [EUR]**
WBSAA9-1	9,00x3,00x0,37	30000/50000	20-Oct	9500,-
WBSAA14-1	13,00x3,00x0,37	30000/60000	20-Oct	13900,-
WBSAA18-1	18,00x3,00x0,37	30000/60000*	20-Oct	16900,-

Cod	Capacitate [kg]	Diviziune [kg]	Dimensiune [LxIxh]mm	Pret Lista [EUR]*
WWSB600	600	0,2	400x300x58	600,-
WWSB1500	1500	0,5	400x300x58	600,-
WWSB3T	3000	1	400x300x58	600,-
WWSB6TR2	6000	2	400x300x58	650,-
WWSB8TR2	8000	5	400x300x58	650,-

Cod	LTF1125A-2	M LTF1125AM-2	LTF1150A-2	M LTF1150AM-2
Capacitate (kg)	500 / 1000 / 2500	1000 / 2500	1000 / 2500 / 5000	2500 / 5000
Diviziune (kg)	1/2/2005	5-Feb	2/5/2010	10-May
Pret Lista [EUR]*	2450,-	2850,-	4350,-	4750,-

Code	TPW20I-2	TPW20IM-2	TPW20ID	TPW20IDM
Capacitate (kg)	500 / 1000 / 2000	1000 / 2000	500 / 1000 / 2000	1000 / 2000
Diviziune (kg)	0,2 / 0,5 / 1	0,5 / 1	0,2 / 0,5 / 1	0,5 / 1
Pret [EUR]*	4450,-	4650,-	5000,-	5150,-

Cod	Capacitate (kg)	Diviziune (kg)	Pret Lista [EUR]*
TPWX3GD	500 / 1000 / 2000	0,2 / 0,5 / 1	2150,-
TPWX3GDM	1000 / 2000	0,5 / 1	2350,-

Cod	Capacitate [kg]	Diviziune [kg]	Pret Lista [EUR]*
TPWN09	2000	1	960,-

Cod	Capacitate	Diviziune	M

	(kg)	(kg)	(kg)
<b>M</b> CW150MR2-1	150	0,05	0,05
MCWNT1-2	300/600/1500	0,1/0,2/0,5	-
<b>M</b> CWNT1M-2	1500	-	0,5
MCWN11T6RF-3	1500/3000/6000	0,5/1/2	-
<b>M</b> MCWN11T6MRF-3	6000	2	2
MCW09T9	9000	5	5
MCW09T12	12000	5	-
<b>M</b> MCWHU10M-2	100000	10	10
<b>M</b> MCWHU15M-2	15000	10	10
MCWHU25-2	25000	5	-
MCW09T30	30000	20	-
MCW09T50	50000	20	-
<b>M</b> ATEX-MCWX2GD600M	600	0,2	0,2
<b>M</b> ATEX-MCWX2GD1T5M	1500	0,5	0,5
<b>M</b> ATEX-MCWX2GD3TM	3000	1	1
<b>M</b> ATEX-MCWX2GD6TM	6000	2	2

Cod	Lxlxh (mm)	Capacitate (kg)	Diviziune (kg)
DLW10/5080R2	800 x 500 x 450..850	6, 15 or 30	2, 5 or 10
DLW10/6510R2	1000 x 650 x 450..850	15 or 30	5 or 10
<b>INOX</b> 10l/5080R2	800 x 500 x 450..850	6, 15 or 30	2, 5 or 10

Cod	l x w x h (mm)	Capacitate (kg)	Diviziune (kg)	<b>M</b> 2R (kg)
-----	-------------------	-----------------	----------------	---------------------

EPWL	1260x800x85	600/1500/2000	0,2/0,5/1	-
EPWLM	1260x800x85	1000/2000	0,5/1	0,5/1
EPWLI-1	1260x800x85	600/1500/2000	0,2/0,5/1	-
EPWLIM-1	1260x800x85	1000/2000	0,5/1	0,5/1

Cod	Lxlxh (mm)	Capacitate (kg)	Diviziune (g)	Pret [EUR]
FLA600	1000x1000x120	600	200	549,-
FLA1500	1000x1000x120	600/1500	200/500	549,-
FLM1500	1000x1250x120	600/1500	200/500	599,-
FLB1500	1250x1250x120	600/1500	200/500	649,-
FLD1500	1250x1500x120	1500	500	649,-
FLD3000	1250x1500x120	1500/3000	500/1000	649,-
FLE1500	1500x1500x120	1500	500	749,-
FLE3000	1500x1500x120	1500/3000	500/1000	749,-

Cod	l x w x h (mm)	Max (kg)	d (g)	M (g)*	Pret Lista [EUR]*
TS3C6	230x330x93	3	0,5	0,5	310,-
TSEC6	230x330x93	6	1	1	560,-
TSE12C6	230x330x93	2	2	2-Jan	460,-
TTE30C6	330x330x93	30	5	5	550,-
TQE60	400x400x115	60	10	20	700,-
TXE60	600x600x137	60	10	20	1150
TXE150	600x600x137	150	20	50	1150,-

Cod	l x w x h (mm)	Max (kg)	M (g)*	Pret Lista [EUR]*
RPLC1	Ø=178, h=45	1,5	0,5	260,-
TS3	230x330x93	3	1	290,-
TS6	230x330x93	6	2	290,-
TT15	330x330x93	15	5	330,-
TT30	330x330x93	30	10	330,-

Cod	l x w x h (mm)	Max (kg)	M (g)*	Pret Lista [EUR]*
WET6	300x300x130	6	2	289,-
WET15	300x300x130	15	5	289,-
WEQ30	400x400x140	30	10	339,-
WEQ60	400x400x140	60	20	339,-
WEX150	600x600x150	150	50	439,-
WEX300	600x600x150	300	100	439,-
WEE600	800x800x165	600	200	639,-

Cod	l x w x h (mm)	Max (kg)	M 2R(g)	Pret Lista [EUR]*
APD15-1	365x235	15-Jun	5-Feb	490,-
APD30-1	365x235	15/30	10-May	490,-
APD1230-1	365x235	30-Dec	5-Feb	590,-

Cod	Max (kg)	M 2R(g)	Pret Lista [EUR]*
KST6	6-Mar	0,5/1	1250,-
KST30	30-Dec	5-Feb	1250,-
KST6P	6-Mar	0,5/1	1380,-
KST30P	30-Dec	5-Feb	1380,-

Cod	Dimensiuni platou (mm)	Max (kg)	M (g)	Pret Lista [EUR]*
EPQI2GD15 B	400x400	15	2	2300,-
EPQI2GD30 B	400x400	30	5	2300,-
EPXI2GD60 B	600x600	60	10	2700,-
EPXI2GD150 B	600x600	150	20	2700,-
EPXI2GD300 B	600x600	300	50	2700,-

Cod	Capacitate (g)	Diviziune (g)	Dimensiune platou (mm)	Pret Lista [EUR]*
UW220H	220	0,001	108X105	1200,-
UW420H	420	0,001	108X105	1300,-
UW620H	620	0,01	108X105	1500,-
UW820H	820	0,01	108X105	1600,-
UW1020H	1020	0,001	108X105	1700,-
UW2200H	2200	0,01	170X180	1200,-
UW4200H	4200	0,01	170X180	1350,-
UW6200H	6200	0,01	170X180	1600,-
UW820S	820	0,01	108X105	1060,-
UW4200S	4200	0,1	170X180	1050,-
UW8200S	8200	0,1	170X180	1200,-

Cod	Max (g)	d (g)	M (g)*	Pret Lista [EUR]*
ALP2102	2100	0,01	0,1	1055,-
ALP4102	4100	0,01	0,1	1120,-

Cod	Capacitate (g)	Diviziune (mg)	Linearity	Dimensiune platou (mm)
-----	----------------	----------------	-----------	---------------------------

			(g) +/-	(mm)
AUW220D	220 / 82	0,1 / 0,01	0,2 / 0,1	80
AUW120D	120 / 42	0,1 / 0,01	0,2 / 0,03	80
AUW320	320	0,1	0,3	80
AUW220	220	0,1	0,2	80

Cod	Max (g)	Readability (mg)	Linearity (mg) +/-	Repeatability (mg) +/-
CPA26P	21-May	0,002 / 0,01	0,008	0,004

Cod	Max (g)	d (g)	M (g)*	Pret Lista [EUR]*
ALP214	210	0,0001	0,001	1415,-
ALP413	410	0,001	0,01	1075,-
ALP513	510	0,001	0,01	1150,-

Cod	Readability (mg)	Capacity (g)	Repeatability (<math>\pm</math>mg)	Linearity (<math>\pm</math>mg)
2.7S	0.0001	2.1	0.00025	0.0009
6.6S	0.001	6.1	0.001	0.004
3.6P	0.001   0.002   0.005	1.1   2.1   3.1	0.003   0.004   0.005	0.004
225S	0.01	220	0...60 g: 0.015 60...220 g: 0.025	0.1
225P	0.01   0.02   0.05	60   120   220	0...60 g: 0.015 60...220 g: 0.04	0.15
125P	0.01   0.1	60   120	0...60 g: 0.015 60...120 g: 0.06	0.15
524S	0.1	520	0.1	0.4
524P	0.1   0.2   0.5	120   240   520	0.15   0.2   0.4	0.5
324S	0.1	320	0.1	0.3
324P	0.1   0.2   0.5	80   160   320	0.1   0.2   0.4	0.5
224S	0.1	220	0.07	0.2
124S	0.1	120	0.1	0.2

Cod	Min. display (d/mg)	Capacity (g)	Standard deviation (mg)	Linearity (mg)
AP124W*	0,1	120	0,1	$\pm 0,2$
AP224W	0,1	220	0,1	$\pm 0,2$
AP324W	0,1	320	0,15	$\pm 0,3$
AP124X	0,1	120	0,1	$\pm 0,2$
AP224X	0,1	220	0,1	$\pm 0,2$
AP324X*	0,1	320	0,15	$\pm 0,3$

Cod	Capacitate (g)	Diviziune (mg)	Cod intern
XPE205	220	0,01	30087655



<b>XPE205DR</b>	81 g / 220	0,01 / 0,1	30087702
<b>XPE105</b>	120	0,01	30087637
<b>XPE105DR</b>	41 / 120	0,01	30087926
<b>XPE204</b>	220	0,1	30087645
<b>XPE304</b>	320	0,1	30131300
<b>XPE504</b>	520	0,1	30304238
<b>XPE504DR</b>	101 / 520	0,1	30304232

<b>Cod</b>	<b>Capacitate [g]</b>	<b>Diviziune [g]</b>	<b>Dimensiune [LxI] [mm]</b>	<b>Pret Lista [EUR]*</b>
<b>IBK 12000D</b>	12 100	0.1	400 x 300	3 215,-
<b>IBK 18000D</b>	18 100	0.1	400 x 300	3 425,-
<b>IBK 24000D</b>	24 100	0.1	400 x 300	3 815,-
<b>IBK 34000D</b>	34 100	0.1	400 x 300	4 245,-
<b>IBK 20000G</b>	20 100	1	400 x 300	2 950,-
<b>IBK 30000G</b>	30 100	1	400 x 300	3 215,-
<b>IBK 40000G</b>	40 100	1	400 x 300	3 380,-
<b>IBK 60000G</b>	60 100	1	400 x 300	3 815,-